



100LM

**Preferred
luminaire
for online sales**

**Jardineria
GAMMA**



Solar



ALS



Safety



Ray Sensor



Charging
temperature



Working
temperature

SOLAR GARDEN LK

BRIGHTER & MORE DURABLE

Supply the most professional solar garden light to every family




SOLAR GARDEN LIGHT



BRIGHTER & MORE DURABLE

Supply the Most Professional
Solar Garden Light to Every Family



2 lighting modes to choose,
all mode you need are available

M1

100% (2H)
+
80% (1H)
+
60% (1H)
+
40% (1H)
+
20% till dawn




M2

50% till dawn




Item: Jardinera GAMMA	
Light Brightness	100LM
Solar panel	
Power	Monocrystalline silicon, 4.32V/ 1W
Li-ion battery	
Capacity	3.7V 7.4WH
Charging / Discharging Temp	-10~+55°C / -20~+60°C
Charging Time	8.7H
LED (OSRAM)	2835, 4pcs
Color Temp	3000K, Ra>70
Efficiency	146lm/W
Types of Lighting	Type II
Performance	
Lighting Time in Rainy day	>10 days
Control Mode	Button Switch, ON/OFF Long Press 1.5s
Lighting Mode	M1: 100% (2H) + 80% (1H) + 60% (1H) + 40% (1H) + 20% till dawn M2: 50% till dawn
Mode Indication	Red LED: M1: Flash one time, M2: Flash two times
Core technology	ALS 2.3
IP	IP44
Material	Aluminium & PC


Road Simulated Diagram






Illumination Curve




Luminance Distribution



unit: mm





Solar Charging Efficiency: >21%




Glass



High lumen LEDs 160lm/W / Switch



A Great Company should always pay the highest attention to every detail of design, and the craftsmanship spirit should be filled in the whole design process and mass production.



MODEL NO.	PACKING METHOD	PCS/CTN	QTY(PCS)	CTN QTY	CARTON SIZE(MM)	N.W.(KG)	G.W.(KG)
SGL-07MAX	INNER BOX	2	2	1	134*98*620	0.6	0.69
	CARTON	24	24	1	420*413*640	14.4	17.4

Net weight and gross weight are for reference only



S O L A R / G A R D E N / L I G H T

Solar
Boutique

