



500LM

**Sleek and
modern design
to fit every
garden**

Jardinera SIGMA



Solar



ALS



Safety



Ray Sensor



55°C
-10°C
Charging
temperature



60°C
-20°C
Working
temperature



SOLAR LAWN LIGHTS

**Simple but powerful ,
up to 500LM brightness**






Installation Method

Same lamp head, different installation way for garden.



Item:	Jardinera Sigma	
Light Brightness	500LM	
Solar panel		
Power	Monocrystalline silicon, 4.4V/ 1.4W	
Li-ion battery		
Capacity	3.7V, 7.4WH, 2000mAh	
Charging / Discharging Temp	-10°C ~ +55°C / -20°C ~ +60°C	
Charging Time	≤7H	
LED (OSRAM)	3030, 6pcs	
Color Temp	3000K, Ra>70	
Efficiency	160lm/W	
Lighting Angle	TYPE V 60°	
Performance		
Lighting Time in Rainy day	>3 days	
Switch Button	1. ON and OFF: long press for 1.5S 2. Short press to switch the lighting mode	
Lighting Mode	M1: 25% till dawn M2: 50% till dawn M3: 75% till dawn M4: 100% till dawn	
Core Technology	ALS 2.3	
IP/IK Class	IP65	
Lighting area.Max	3.5m²	
Installation Distance.Max	4m	
Net weight	645g	
Materials	ABS+Aluminium	
Size	562*89*85mm	





The inclination angle is 30°, which can better absorb sunlight



LED efficiency up to 160lm/W



Monocrystalline silicon solar panel



Earth spike



A Great Company should always pay the highest attention to every detail of design, and the craftsmanship spirit should be filled in the whole design process and mass production.

LAMP 1 PC
INSTRUCTIONS: 1 PC
SCREW: 1 SET
EARTH SPIKE: 1 PC




PRODUCT LIST

1 PC / 1 BOX



INNER BOX

20 PCS / CARTON



CARTON



MODEL NO.	PACKING METHOD	PCS/CTN	QTY(PCS)	CTN QTY	CARTON SIZE(MM)	N.W.(KG)	G.W.(KG)
SGL-15L	INNER BOX	1	1	1	92*88*575	0.645	0.795
	CARTON	20	20	1	460*388*595	12.9	17.1

Net weight and gross weight are for reference only



SOLAR / LAWN / LIGHTS



INNOVATING
THE FUTURE OF SOLAR